

Literaturliste:

Güttler FV, Heinrich A, Rump J, de Bucourt M, Schnackenburg B, Bamberg C, Hamm B, Teichgräber UK, „Magnetic resonance imaging of the active second stage of labour: Proof of principle“. Eur Radiol. 2012 Sep;22(9):2020-6

Bamberg C, Rademacher G, Güttler F, Teichgräber U, Cremer M, Bühner C, Spies C, Henrich W, Kalache KD, Dudenhausen JW. „Human birth observed in real-time open magnetic resonance imaging“ Am J Obstet Gynecol. 2012 Jun;206(6):505.e1-6

Bamberg C, Scheuermann S, Fotopoulou C, Slowinski T, Dückelmann AM, Teichgräber U, Streitparth F, Henrich W, Dudenhausen JW, Kalache KD. „Angle of progression measurements of fetal head at term: a systematic comparison between open magnetic resonance imaging and transperineal ultrasound“ Am J Obstet Gynecol. 2012 Feb;206(2):161.e1-5.

Henrich W, Stupin JH „3D volume contrast imaging (VCI) for the visualization of placenta previa increta and uterine wall thickness in a dichorionic twin pregnancy“ Ultraschall Med. 2011 Aug;32(4):406-11.

Dückelmann AM, Michaelis SA, Bamberg C, Dudenhausen JW, Kalache KD. „Impact of intrapartum ultrasound to assess fetal head position and station on the type of obstetrical interventions at full cervical dilatation“. J Matern Fetal Neonatal Med. 2011 Jul 5

Bamberg C, Scheuermann S, Slowinski T, Dückelmann AM, Vogt M, Nguyen-Dobinsky TN, Streitparth F, Teichgräber U, Henrich W, Dudenhausen JW, Kalache KD. „Relationship between fetal head station established using an open magnetic resonance imaging scanner and the angle of progression determined by transperineal ultrasound“ Ultrasound Obstet Gynecol. 2011 Jun;37(6):712-6

Blasi I, Fuchs I, D'Amico R, Vinci V, La Sala GB, Mazza V, Henrich W. "Intrapartum translabial three-dimensional ultrasound visualization of levator trauma".

Ultrasound Obstet Gynecol. 2011 Jan;37(1):88-92.

Tutschek B, Braun T, Chantraine F, Henrich W. "A study of progress of labour using intrapartum translabial ultrasound, assessing head station, direction, and angle of descent" BJOG. 2011 Jan;118(1):62-9.

Dückelmann AM, Bamberg C, Michaelis SA, Lange J, Nonnenmacher A, Dudenhausen JW, Kalache KD. "Measurement of fetal head descent using the 'angle of progression' on transperineal ultrasound imaging is reliable regardless of fetal head station or ultrasound expertise." Ultrasound Obstet Gynecol. 2010 Feb; 35(2):216-22.

Blasi I, D'Amico R, Fenu V, Volpe A, Fuchs I, Henrich W, Mazza V. "Sonographic assessment of fetal spine and head position during the first and second stages of labor for the diagnosis of persistent occiput posterior position: a pilot study".

Ultrasound Obstet Gynecol. 2010 Feb;35(2):210-5.

Kalache KD, Duckelmann AM, Michaelis SA, Lange J, Cichon G, Dudenhausen JW. Transperineal ultrasound imaging in prolonged second stage of labor with occipitoanterior presenting fetuses: how well does the 'angle of progression' predict the mode of delivery? Ultrasound Obstet Gynecol. 2009 Mar;33(3):326-30.

Fuchs I, Tutschek B, Henrich W. "Visualization of the fetal fontanels and skull sutures by three-dimensional translabial ultrasound during the second stage of labor".

Ultrasound Obstet Gynecol. 2008 Apr;31(4):484-6.

Fuchs I, Dudenhausen JW, Sehouli J, Henrich W. Placenta pathology: disorders of placental location, placental implantation and cord insertion.

Ultraschall Med. 2008 Feb;29(1):4-17

Henrich W, Dudenhausen J, Fuchs I, Kamena A, Tutschek B.  
Intrapartum translabial ultrasound (ITU): sonographic landmarks  
and correlation with successful vacuum extraction. Ultrasound  
Obstet Gynecol. 2006 Nov;28(6):753-60.

Henrich W, Fuchs I, Ehrenstein T, Kjos S, Schmider A,  
Dudenhausen JW  
Antenatal diagnosis of placenta percreta with planned in situ  
retention and methotrexate therapy in a woman infected with HIV  
Ultrasound Obstet Gynecol. 2002 Jul;20(1):90-3.